




Vijay Engineering Works

AN ISO 9001:2015 COMPANY
EN1090-2:2008 CERTIFIED

SCAFFOLDINGS
& accessories



Infrastructure




Located in Jalandar, Punjab (India), our state-of-the-art infrastructure sprawls over a large area. It has been built along the guidelines laid down by architects of modern architecture. This infrastructure has been divided into varied sections for the purpose of better quality control in different production processes. Provision is also made for connecting these sections, with the help of tarred roads. We have also made efforts to equip all the sections with pollution control equipment. The infrastructural facility has been divided into the following sections:

- Raw Material Procurement Department
- Mechanical Engineering Department
- Designing Department
- Technical Department



- Quality Checking Department
- Sales and Marketing Department
- Administrative Department
- Logistics Department



HEAD OFFICE:

○-2, Industrial Area, Jalandhar-144004,
Punjab-india

UNIT 2:

B-28, Focal Point Extension,
Jalandhar-144004

UNIT 3:

B-18, Focal Point Extension,
Jalandhar-144004

UNIT 4:

C-69, Focal Point Extension,
Jalandhar-144004

TEL: +91-181-5088255, 2290045,
5058255

CELL: +91-98140 61911,
98143 61911

EMAIL: sales@vijaytools.com,
rajan@vewsc scaffolding.com

WEBSITE: www.vewsc scaffolding.com

SCAFFOLDINGS

Contents

EXTERIOR SCAFFOLDING AND ACCESSORIES

LADDER FRAMES	01
WALK-THRU FRAMES	02
ACCESSORIES	03-07

ADJUSTABLE SCREW JACKS

ADJUSTABLE SCREW JACKS	08
------------------------	----

SHORE POST AND ACCESSORIES

SHORE POST HEAVY DUTY	09
SHORE POST MEDIUM DUTY	10
SHORE POST EUROPEAN SERIES	11
ACCESSORIES	12

SHORING FRAMES AND ACCESSORIES

SHORING FRAMES	13
ACCESSORIES	14

INTERIOR SCAFFOLDING

INTERIOR SCAFFOLDING	15
----------------------	----

SCAFFOLDING COUPLERS

SCAFFOLDING COUPLERS	16-18
----------------------	-------

FORMWORK ACCESSORIES AND CLAMPS

FORMWORK ACCESSORIES	19-22
FORMWORK CLAMPS	23-24

FENCE CLAMPS & ACCESSORIES

FENCE CLAMPS	25
FENCING ACCESSORIES	26

RINGLOCK SCAFFOLDING & ACCESSORIES

RINGLOCK SCAFFOLDING & ACCESSORIES	27
ACCESSORIES	28

CUPLOCK SCAFFOLDING SYSTEM & ACCESSORIES

CUPLOCK SCAFFOLDING SYSTEM & ACCESSORIES	29
--	----

PLUMBING ACCESSORIES


PLUMBING ACCESSORIES	30-32
----------------------	-------

CUSTOMISED PRODUCTS


CUSTOMISED PRODUCTS	33-34
---------------------	-------




DESCRIPTION	LADDER FRAME (SPACE LOCK)
SIZE	5'x5'
FINISH	POWDER PAINTED
SPECIFICATION	PIPE OD 1.625" / 1.69" WITH FLIP LOCK




DESCRIPTION	LADDER FRAME
SIZE	5'x5'
FINISH	POWDER PAINTED
SPECIFICATION	PIPE OD 1.625" / 1.69" WITH C-LOCKS * WITHOUT SPACE LOCK




DESCRIPTION	LADDER FRAME (SPACE LOCK)
SIZE	5'x6'4"
FINISH	POWDER PAINTED
SPECIFICATION	PIPE OD 1.625" / 1.69" WITH FLIP LOCK & C-LOCK




DESCRIPTION	SAFETYWAY LADDER
SIZE	5'x3'
FINISH	POWDER PAINTED
SPECIFICATION	PIPE OD 1.625" / 1.69" WITH FLIP LOCKS




DESCRIPTION	WALKTHRU FRAME
SIZE	5'x6'6"
FINISH	POWDER PAINTED
SPECIFICATION	PIPE OD 1.625" / 1.69" WITH FLIP LOCKS & C-LOCKS




DESCRIPTION	SAFEWAY WALKTHRU FRAME
SIZE	5'x6'4"
FINISH	POWDER PAINTED
SPECIFICATION	PIPE OD 1.625" / 1.69" WITH FLIP LOCKS



DESCRIPTION	LADDER SAFEWAY WALKTHRU FRAME
SIZE	5'x6'4"
FINISH	POWDER PAINTED
SPECIFICATION	PIPE OD 1.625" / 1.69" WITH FLIP LOCKS



DESCRIPTION	SAFEWAY WALKTHRU FRAME
SIZE	3'x6'4"
FINISH	POWDER PAINTED
SPECIFICATION	PIPE OD 1.625" / 1.69" WITH FLIP LOCKS



DESCRIPTION	GUARD RAIL POST
SIZE	5'
FINISH	POWDER PAINTED
SPECIFICATION	PIPE OD 1.69"



DESCRIPTION	ADJUSTABLE SCREW JACK
SIZE	24" & 36"
FINISH	GALVANIZED
SPECIFICATION	PIPE OD 34mm / SOLID ROD 34mm




DESCRIPTION	COUPLING PIN WITH SPRING LOCK
SIZE	FOR PIPE OD 1.625" & 1.69"
FINISH	GALVANIZED
SPECIFICATION	34mm x 2mm x 9"




DESCRIPTION	OUTRIGGER
SIZE	32"
FINISH	POWDER PAINTED
SPECIFICATION	PIPE OD 1.69"




DESCRIPTION	CASTOR JACK
SIZE	24"
FINISH	GALVANIZED
SPECIFICATION	PIPE OD 34mm / SOLID ROD 34mm



DESCRIPTION	CROSS BRACES
SIZE	AS PER CUSTOMER REQUIREMENT
FINISH	PRE-GALVANIZED TUBES
SPECIFICATION	25.4mm x 1.6mm / 1.8mm / 2.0mm



DESCRIPTION	GUARD RAILS
SIZE	3' to 10'
FINISH	PRE-GALVANIZED TUBES
SPECIFICATION	25.4mm x 1.6mm / 1.8mm / 2.0mm 31.75mm x 1.6mm / 1.8mm / 2.0mm



DESCRIPTION	FRAME LOCKS
SIZE	FLIP LOCK / C-LOCK / GRAVITY LOCK
FINISH	GALVANIZED
SPECIFICATION	FORGED STEEL




DESCRIPTION	PIG TAIL
FINISH	GALVANIZED
SPECIFICATION	FOR USE WITH FRAMES



DESCRIPTION	TOGGLE PIN
FINISH	GALVANIZED
SPECIFICATION	FOR USE WITH FRAMES



DESCRIPTION	EXTERNAL LADDER BRACKET
SIZE	CUSTOMISED
FINISH	POWDER PAINTED



DESCRIPTION	EXTERNAL LADDER
SIZE	3' & 6'
FINISH	POWDER PAINTED



DESCRIPTION	CASTOR WHEEL
SIZE	8"
FINISH	N.A.
SPECIFICATION	N.A.




DESCRIPTION	ALUMINIUM SIDE RAILS
SIZE	FROM 2' TO 10'
FINISH	SELF
SPECIFICATION	T6-6061 & T-6-6063




DESCRIPTION	MALE SAFETY POLE
SIZE	CUSTOMISED
FINISH	POWDER PAINTED




DESCRIPTION	FEMALE SAFETY POLE
SIZE	CUSTOMISED
FINISH	POWDER PAINTED




DESCRIPTION	SIDE BRACKET
SIZE	20"
FINISH	POWDER PAINTED



DESCRIPTION	END BRACKETS
SIZE	20"
FINISH	POWDER PAINTED



DESCRIPTION	FIXED CLAMP
SIZE	FOR 1.625" & 1.69" PIPES
FINISH	GALVANIZED




DESCRIPTION	SWIVEL CLAMP
SIZE	FOR 1.625" & 1.69" PIPES
FINISH	GALVANIZED




DESCRIPTION	HD GUARD RAIL PANEL
SIZE	CUSTOMISED
FINISH	POWDER PAINTED



DESCRIPTION	CANOPY TOP
SIZE	CUSTOMISED
FINISH	POWDER PAINTED




DESCRIPTION	DOUBLE SAFETY SIDE RAIL
SIZE	CUSTOMISED
FINISH	POWDER PAINTED




DESCRIPTION	TIE BAR
SIZE	3', 4' & 5'
FINISH	POWDER PAINTED



DESCRIPTION	PIPE WITH HOOK
SIZE	31.75 X 71" / 76" / 98"
FINISH	PRE-GALVANIZED / HOT DIP GALVANIZED




DESCRIPTION	GURTZ
SIZE	42.40 X 1'-12'
FINISH	PRE-GALVANIZED




DESCRIPTION	ANGLE IRON CROSS BRACE
SIZE	AS PER REQUIREMENT
FINISH	BLACK PAINTED



DESCRIPTION	COUNTER WEIGHT
SIZE	50 LBS
FINISH	SELF FINISH




DESCRIPTION	THREADED BAR
SIZE	3/8", 1/2", 5/8", 3/4"
FINISH	ELECTRO PLATED / HOT DIP GALVANIZED



DESCRIPTION	GUARD RAIL 89
SIZE	28.58MM x 1.40MM
FINISH	PRE-GALVANIZED



DESCRIPTION	ADJUSTABLE BASE JACKS
SIZE	30 cm TO 120 cm
FINISH	HOT DIP GALVANIZED / ELECTRO GALVANIZED



DESCRIPTION	U-HEAD JACKS
SIZE	60 cm
FINISH	HOT DIP GALVANIZED / ELECTRO GALVANIZED




DESCRIPTION	FORK HEADS
SIZE	AS PER CUSTOMER REQUIREMENT
FINISH	HOT DIP GALVANIZED / ELECTRO GALVANIZED




DESCRIPTION	SWIVEL JACKS
SIZE	60 cm TO 100 cm
FINISH	HOT DIP GALVANIZED / ELECTRO GALVANIZED




DESCRIPTION	CASTOR JACKS
SIZE	24"
FINISH	HOT DIP GALVANIZED / ELECTRO GALVANIZED



DESCRIPTION	JACK NUTS
SIZE	N.A.
FINISH	HOT DIP GALVANIZED / ELECTRO GALVANIZED



NO WELDING




HEAVY DUTY ADJUSTABLE SHORING POST

DIMENSIONS

SAFE LOAD - SAFETY FACTOR 3:1

	CLOSED	EXTENDED	CLOSED	EXTENDED
V-SD0	3'6" (1.07 M)	6' (1.83 M)	14980 LB (66.6 kN)	9910 LB (44 kN)
V-SD1	5'9" (1.75 M)	10'3" (3.12 M)	14980 LB (66.6 kN)	5970 LB (26.5 kN)
V-SD2	6'6" (1.98 M)	11' (3.35 M)	13890 LB (61.7 kN)	5650 LB (25.1 kN)
V-SD3	8'6" (2.59 M)	13' (3.96 M)	10390 LB (46.2 kN)	4400 LB (19.5 kN)
V-SD4	10'6" (3.20 M)	15'6" (4.72 M)	8150 LB (36.2 kN)	3430 LB (15.2 kN)

CERTIFIED : CAN / CSA S269 2-16
ANSI / SSFI SH300 - 2007



V-MD0

V-MD1

V-MD2

V-MD3

V-MD4

MEDIUM DUTY ADJUSTABLE SHORING POST

	DIMENSIONS		SAFE LOAD - SAFETY FACTOR 3:1	
	CLOSED	EXTENDED	CLOSED	EXTENDED
V-MD0	3'6" (1.07 M)	6' (1.83 M)	8850 LB (39.3 kN)	4100 LB (18.2 kN)
V-MD1	5'6" (1.68 M)	10' (3.05 M)	8850 LB (39.3 kN)	4100 LB (18.2 kN)
V-MD2	6'6" (1.98 M)	11' (3.35 M)	8850 LB (39.3 kN)	2900 LB (12.8 kN)
V-MD3	8'6" (2.59 M)	13' (3.96 M)	5850 LB (26 kN)	2900 LB (12.8 kN)
V-MD4	10'6" (3.20 M)	15'6" (4.72 M)	4850 LB (21.5 kN)	1850 LB (8.2 kN)

CERTIFIED : CAN / CSA S269 2-16
ANSI / SSFI SH300 - 2007

**B30****B35**

EUROPEAN STANDARD ADJUSTABLE SHORING POST
CERTIFIED : EN1065 STANDARD




DESCRIPTION	LOCK PIN
SIZE	DIA 14mm & 16mm
FINISH	GALVANIZED
SPECIFICATION	HARDENED & TEMPERED



DESCRIPTION	PROP HEADS
SIZE	N.A.
FINISH	HOT DIP GALVANIZED
SPECIFICATION	MILD STEEL CASTING




DESCRIPTION	PROP NUT
SIZE	LIGHT / MEDIUM / HEAVY
FINISH	GALVANIZED
SPECIFICATION	DUCTILE IRON / FORGED STEEL



DESCRIPTION	FORK HEAD
SIZE	N.A.
FINISH	HOT DIP GALVANIZED
SPECIFICATION	HR PLATE + TUBE



DESCRIPTION	PROP SLEEVE 76MM / 60MM
SIZE	205, 220, 300 & 350mm
FINISH	SELF FINISH, PAINTED, Zn Plated
SPECIFICATION	2.7mm TO 4.5mm



DESCRIPTION	PROP HEAD
SIZE	105 & 55mm
FINISH	PAINTED
SPECIFICATION	HR PLATE & TUBE




DESCRIPTION	SHORING FRAMES
SIZE	120x120
FINISH	POWDER PAINTED
SPECIFICATION	PIPE DIA 60.3MM




DESCRIPTION	SHORING FRAMES
SIZE	120x150
FINISH	POWDER PAINTED
SPECIFICATION	PIPE DIA 60.3MM




DESCRIPTION	SHORING FRAMES
SIZE	120x180
FINISH	POWDER PAINTED
SPECIFICATION	PIPE DIA 60.3MM




DESCRIPTION	ACROW FRAME
SIZE	120cm x 120cm
FINISH	POWDER PAINTED
SPECIFICATION	PIPE OD 48.3MM



DESCRIPTION	ACROW FRAME
SIZE	120cm x 150cm
FINISH	POWDER PAINTED
SPECIFICATION	PIPE OD 48.3MM



DESCRIPTION	ACROW FRAME
SIZE	120cm x 180cm
FINISH	POWDER PAINTED
SPECIFICATION	PIPE OD 48.3MM



DESCRIPTION	SHORING U-HEAD PLATE
FINISH	POWDER PAINTED / GALVANIZED



DESCRIPTION	SHORING PINS
FINISH	GALVANIZED




DESCRIPTION	SHORING NAIL PLATE
FINISH	POWDER PAINTED



DESCRIPTION	SHORING TO SCAFFOLD CONNECTOR PIN
FINISH	GALVANIZED



DESCRIPTION	SHORING CONNECTOR PIN
FINISH	GALVANIZED



DESCRIPTION	SHORING BASE PLATE
FINISH	HOT DIP GALVANIZED




DESCRIPTION	SHORING JACKS
SIZE	24" & 36"
FINISH	GALVANIZED
SPECIFICATION	PIPE 48MM x 4MM



DESCRIPTION	SOCKET SHORING JACK
SIZE	36"
FINISH	GALVANIZED
SPECIFICATION	PIPE 48MM x 4MM

Option:-1




Option:-2



Ourtriggers With
5" Caster Wheel


Option:-3




Multi-Function
Jack -12"



DESCRIPTION	BRITISH TYPE SWIVEL COUPLER
SIZE	48MM X 48MM - 48MM X 60MM
FINISH	HOT DIP GALVANIZED




DESCRIPTION	BRITISH TYPE RIGHT ANGLE COUPLER
SIZE	48MM X 48MM - 48MM X 60MM
FINISH	HOT DIP GALVANIZED



DESCRIPTION	SLEEVE COUPLER
SIZE	48MM X 48MM
FINISH	ELECTROGALVANIZED




DESCRIPTION	HEAVY DUTY SWIVEL CLAMP
SIZE	48MM X 48MM
	48MM X 60MM
FINISH	ELECTROGALVANIZED




DESCRIPTION	HEAVY DUTY RIGHT ANGLE CLAMP
SIZE	48MM X 48MM - 48MM X 60MM
FINISH	ELECTROGALVANIZED




DESCRIPTION	LIGHT DUTY SWIVEL CLAMP
SIZE	48MM X 48MM / 48MM X 60MM
FINISH	ELECTROGALVANIZED



DESCRIPTION	LIGHT DUTY FIXED CLAMP
SIZE	48MM X 48MM - 48MM X 60MM
FINISH	ELECTROGALVANIZED




DESCRIPTION	EXPANDABLE JOINT PIN
SIZE	FOR 48MM PIPE
FINISH	ELECTROGALVANIZED



DESCRIPTION	UNIVERSAL CLAMP
SIZE	N.A.
FINISH	ELECTROGALVANIZED



DESCRIPTION	TIMBER WALLING CLAMP
SIZE	N.A.
FINISH	ELECTROGALVANIZED




DESCRIPTION	LADDER COUPLER
SIZE	N.A.
FINISH	SELF FINISH



DESCRIPTION	TOE BOARD BRACKET
	BOARD RETAINING COUPLER
SIZE	48MM
FINISH	ELECTROGALVANIZED




DESCRIPTION	PUTTOG COUPLER
SIZE	48MM
FINISH	ELECTROGALVANIZED




DESCRIPTION	HALF / SINGLE COUPLER
SIZE	48MM
FINISH	ELECTROGALVANIZED




DESCRIPTION	STAIRCASE COUPLER
SIZE	48MM
FINISH	ELECTROGALVANIZED




DESCRIPTION	ROOFING COUPLER
SIZE	48MM
FINISH	ELECTROGALVANIZED



DESCRIPTION	FENCING COUPLER
SIZE	48MM
FINISH	ELECTROGALVANIZED




DESCRIPTION	TIE ROD
SIZE	FOR TIE ROD 15/17mm & 20/23
FINISH	SELF / GALVANIZED
SPECIFICATION	C-20 / C-45




DESCRIPTION	WING NUT
SIZE	FOR TIE ROD 15/17mm
FINISH	SELF / GALVANIZED
SPECIFICATION	DUCTILE IRON




DESCRIPTION	WING NUT
SIZE	FOR TIE ROD 20/23mm
FINISH	SELF / GALVANIZED
SPECIFICATION	ALLOY STEEL CASTING



DESCRIPTION	PRESSED WATER PLATE
SIZE	FOR TIE ROD 15/17mm (120x120, 110x110)
FINISH	SELF / GALVANIZED
SPECIFICATION	HR PLATE




DESCRIPTION	PLAIN WATER PLATE
SIZE	FOR TIE ROD 20/23MM (120x120x20) mm
FINISH	SELF / GALVANIZED
SPECIFICATION	HR PLATE



DESCRIPTION	WATER BARRIER
SIZE	FOR TIE ROD 15/17mm
FINISH	SELF / GALVANIZED
SPECIFICATION	DUCTILE IRON



DESCRIPTION	WELDABLE ANCHOR
SIZE	FOR TIE ROD 15/17mm
FINISH	SELF / GALVANIZED
SPECIFICATION	FORGED STEEL



DESCRIPTION	TIE ROD CONNECTORS
SIZE	FOR TIE ROD 15/17mm (30mm TO 105mm)
FINISH	SELF / GALVANIZED
SPECIFICATION	EN8D




DESCRIPTION	TIE ROD CONNECTORS
SIZE	20/23X130mm
FINISH	SELF / GALVANIZED
SPECIFICATION	EN8D




DESCRIPTION	STEEL CONES
SIZE	FOR TIE ROD 15/17mm x 70mm & 110mm
FINISH	SELF / GALVANIZED
SPECIFICATION	FORGED STEEL



DESCRIPTION	PVC CONES
SIZE	FOR TIE ROD 15/17mm
FINISH	GALVANIZED
SPECIFICATION	FORGED STEEL




DESCRIPTION	RAPID CLAMPS
SIZE	FOR 8mm RE-BAR
FINISH	SELF / GALVANIZED
SPECIFICATION	DUCTILE IRON / FORGED STEEL




DESCRIPTION	SPRING CLAMP
SIZE	FOR 8mm RE-BAR
FINISH	SELF / GALVANIZED
SPECIFICATION	STEEL PLATE / FORGED STEEL







DESCRIPTION	ROCK ANCHOR
SIZE	FOR TIE ROD 15/17mm
FINISH	SELF / GALVANIZED
SPECIFICATION	FORGED STEEL



DESCRIPTION	SWIVEL NUTS
SIZE	FOR TIE ROD 15/17mm
FINISH	SELF / GALVANIZED
SPECIFICATION	DUCTILE IRON / FORGED STEEL



ANCHOR NUTS




DESCRIPTION	ANCHOR NUTS
SIZE	FOR TIE ROD 15/17mm & 20/23mm
FINISH	GALVANIZED
SPECIFICATION	DUCTILE IRON




DESCRIPTION	ANCHOR NUTS
SIZE	FOR TIE ROD 15/17mm & 20/23mm
FINISH	GALVANIZED
SPECIFICATION	FORGED STEEL



DESCRIPTION	SCAFFOLDING HOOKS
SIZE	AVAILABLE AS A SET OF RIGHT & LEFT HOOK.
FINISH	PAINTED
SPECIFICATION	MILD STEEL PLATE



DESCRIPTION	BEAM CLAMPS
SIZE	6-12 MM
FINISH	GALVANIZED
SPECIFICATION	DUCTILE IRON



DESCRIPTION	STRIKING TIE ROD
SIZE	N.A.
FINISH	GALVANIZED
SPECIFICATION	HR SHEET / ROUND



DESCRIPTION	CLIP
SIZE	N.A.
FINISH	SELF
SPECIFICATION	HR SHEET / ROUND



DESCRIPTION	WEDGE
SIZE	N.A.
FINISH	SELF GALVANIZED
SPECIFICATION	DUCTILE IRON



DESCRIPTION	ANCHORING BOLT
SIZE	N.A.
FINISH	MS ROUND / DUCTILE IRON
SPECIFICATION	SELF / GALVANIZED




DESCRIPTION	STAND WITH PIPE
SIZE	N.A.
FINISH	SELF
SPECIFICATION	HR SHEET / ROUND



DESCRIPTION	BUILDER CLAMP
STRIP MATERIAL	COLD ROLLED MILD STEEL
WEDGE MATERIAL	DROP FORGED STEEL
SIZE	REACH 135, 175, 200MM LENGTH 400/600, 600/800, 800/1000, 1000/1200, 1200/1400
FINISH	PAINTED



DESCRIPTION	HAMMER CLAMP
STRIP MATERIAL	COLD ROLLED MILD STEEL
WEDGE MATERIAL	DROP FORGED STEEL
SIZE	60, 70, 80, 90CM AND AS PER CUSTOMER'S REQUIREMENT
FINISH	PAINTED




DESCRIPTION	HEAVY DUTY BUILDER CLAMP
STRIP MATERIAL	COLD ROLLED MILD STEEL
WEDGE MATERIAL	DROP FORGED STEEL
SIZE	800, 900, 1000MM AND AS PER CUSTOMER'S REQUIREMENT
FINISH	PAINTED



DESCRIPTION	SHUTTERING CLAMP
STRIP MATERIAL	COLD ROLLED MILD STEEL
WEDGE MATERIAL	DROP FORGED STEEL
SIZE	25 x 5 - 8 / 30 x 5 - 8 (IN MM)
WEDGE DIA	16MM-25MM
LENGTH	70, 80, 90, 100, 120, 150CM
FINISH	PAINTED




DESCRIPTION	HOLDING BRACKET
SIZE	N.A.
FINISH	GALVANIZED
SPECIFICATION	HR PLATE



DESCRIPTION	ALUMINIUM PROFILE CLAMP
SIZE	N.A.
FINISH	HOT DIP GALVANIZED
SPECIFICATION	DUCTILE IRON




DESCRIPTION	STRAIGHT CLAMP
SIZE	N.A.
FINISH	GALVANIZED
SPECIFICATION	EN-8 / ALLOY STEEL CASTING



DESCRIPTION	CORNER CLAMP
SIZE	N.A.
FINISH	GALVANIZED
SPECIFICATION	EN-8 / ALLOY STEEL CASTING




DESCRIPTION	PIPE CLAMP
SIZE	N.A.
FINISH	GALVANIZED
SPECIFICATION	HR PLATE




DESCRIPTION	COMPRESSION GUARD RAILS
SIZE	AS PER CUSTOMER REQUIREMENT
FINISH	POWDER COATED
SPECIFICATION	HR SHEET / TUBE



DESCRIPTION	FENCING CLAMPS
SIZE	FOR 48.3MM PIPE
FINISH	DUCTILE IRON
SPECIFICATION	HOT DIP GALVANIZED




DESCRIPTION	BRACKETS / COLLARS
SIZE	AS PER CUSTOMER SPECIFICATION
FINISH	POWDER PAINTED / HOT DIP GALVANIZED




DESCRIPTION	FLAT FEET
SIZE	AS PER CUSTOMER SPECIFICATION
FINISH	HOT DIP GALVANIZED




DESCRIPTION	FLAT FEET HEAVY
SIZE	AS PER CUSTOMER SPECIFICATION
FINISH	HOT DIP GALVANIZED



DESCRIPTION	MIDDLE FENCE
SIZE	AS PER CUSTOMER SPECIFICATION
FINISH	HOT DIP GALVANIZED



DESCRIPTION	MIDDLE FENCE
SIZE	AS PER CUSTOMER SPECIFICATION
FINISH	HOT DIP GALVANIZED



DESCRIPTION	STANDARD / VERTICAL
SIZE	0.5 MTR. TO 3 MTR.
FINISH	HOT DIP GALVANIZED / POWDER COATED

DESCRIPTION	LEDGER / HORIZONTAL
FINISH	HOT DIP GALVANIZED / POWDER COATED

ACCESSORIES





CUPLOCK SCAFFOLDING SYSTEM & ACCESSORIES



DESCRIPTION	CUPLOCK LEDGER
SIZE	0.5 - 3MTRS.
FINISH	PAINTED, HOT DIP GALVANIZED



DESCRIPTION	CUPLOCK STANDARD
SIZE	0.5 - 3MTRS.
FINISH	PAINTED, HOT DIP GALVANIZED

COMPONENTS OF CUPLOCK




DESCRIPTION	TOP CUP
FINISH	CAST IRON / DROP FORGED



DESCRIPTION	BOTTOM CUP
FINISH	MILD STEEL PLATE




DESCRIPTION	LEDGER BLADE
FINISH	DROP FORGED STEEL



DESCRIPTION	DROP HEAD WITH SOCKET BASE
SIZE	N.A.
FINISH	CAST IRON, MILD STEEL PLATE



DESCRIPTION	WEDGE PLATE
SIZE	N.A.
FINISH	CAST IRON





DESCRIPTION	ELBOW (1/4 BEND)
SIZE	2" to 8"
FINISH	BLACK CASTING SEALER
SPECIFICATION	GREY IRON



DESCRIPTION	BEND WITH TEE OPEN
SIZE	3 by 2, 4 by 2
FINISH	BLACK CASTING SEALER
SPECIFICATION	GREY IRON



DESCRIPTION	WYE
SIZE	1½" to 15"
FINISH	BLACK CASTING SEALER
SPECIFICATION	GREY IRON



DESCRIPTION	CLOSET FLANGE RISER
SIZE	4 by 3 by 3½, 4 by 3 by 8, 4 by 3 by 10, 4 by 4 by 4, 4 by 4 by 8
FINISH	BLACK CASTING SEALER
SPECIFICATION	GREY IRON



DESCRIPTION	COLLARS
SIZE	AS PER REQUIREMENT
FINISH	BLACK CASTING SEALER
SPECIFICATION	GREY IRON



DESCRIPTION	DEEP SEAL P TRAP
SIZE	2", 3", 4"
FINISH	BLACK CASTING SEALER
SPECIFICATION	GREY IRON

* NOTE: THESE PARTS ARE AS PER ASTM A888 - 17a STANDARDS.



DESCRIPTION	FLANGE WITH S.S. BOLT/NUTS
SIZE	3x2, 4x2
FINISH	BLACK PAINTED
SPECIFICATION	GREY IRON



DESCRIPTION	FLANGE WITH S.S. BOLT/NUTS
SIZE	4x3, 4x4
FINISH	BLACK PAINTED
SPECIFICATION	GREY IRON



DESCRIPTION	REDUCER TEE
SIZE	4x2"
FINISH	BLACK PAINTED
SPECIFICATION	GREY IRON



DESCRIPTION	REDUCER YEE
SIZE	4x2"
FINISH	BLACK PAINTED
SPECIFICATION	GREY IRON



DESCRIPTION	LARGE ELBOW
SIZE	16x16"
FINISH	BLACK PAINTED
SPECIFICATION	GREY IRON



DESCRIPTION	-
SIZE	-
FINISH	-
SPECIFICATION	-

* NOTE: THESE PARTS ARE AS PER ASTM A888 - 17a STANDARDS.




DESCRIPTION	ROUND BRASS COUPLING WITH NO HUB DRAIN
SIZE	2", 3"
FINISH	BLACK PAINTED
SPECIFICATION	GREY IRON



DESCRIPTION	ROUND BRASS COUPLING WITH NO HUB DRAIN
SIZE	3"
FINISH	BLACK PAINTED
SPECIFICATION	GREY IRON



DESCRIPTION	BRASS SQUARE COUPLING WITH DRAIN ELBOW TYPE
SIZE	2", 3"
FINISH	BLACK PAINTED
SPECIFICATION	GREY IRON



DESCRIPTION	BRASS SQUARE COUPLING WITH NO HUB DRAIN
SIZE	2", 3"
FINISH	BLACK PAINTED
SPECIFICATION	GREY IRON



DESCRIPTION	BRASS ROUND COUPLING WITH DRAIN ELBOW TYPE
SIZE	2", 3"
FINISH	BLACK PAINTED
SPECIFICATION	GREY IRON



DESCRIPTION	FARRAL
SIZE	4"
FINISH	BLACK PAINTED
SPECIFICATION	GREY IRON












DESCRIPTION	CLEAN OUT TEE
SIZE	4"
FINISH	BLACK PAINTED
SPECIFICATION	GREY IRON



DESCRIPTION	DRAIN
SIZE	N.A.
FINISH	BLACK PAINTED
SPECIFICATION	GREY IRON

* NOTE: THESE PARTS ARE AS PER ASTM A888 - 17a STANDARDS.





[illegible]



CERTIFICATE

The Certification Body
of TÜV SÜD South Asia Private Limited
certifies that

Vijay Engineering Works
H.O. 0/2, Industrial Area,
Jalandhar - 144 004, Punjab, INDIA

including the sites and scope of application see enclosure

has implemented Quality Management System
in accordance with **ISO 9001:2015**
for the scope of

**MARKETING, SALES & EXPORT OF IRON AND STEEL PRODUCTS
SUCH AS SCAFFOLDINGS, HARDWARE & HAND TOOLS**

The certificate is valid from **2021-07-21** until **2024-07-20**

Subject to successful completion of annual periodic audits

The present status of this Certificate can be obtained on www.tuvsud.com/en-in

Further clarifications regarding the scope of this certificate may be obtained by consulting the certification body

Certificate Registration No. **99 100 11779**

Date of Initial certification: **2010-06-19**

Issue Date: **2021-07-19** Rev. 00

Rahul Kale
Head of Certification Body
of TÜV SÜD South Asia Private Limited, Mumbai
Member of TÜV SÜD Group

Page 1 of 2



TÜV SÜD South Asia Pvt. Ltd. • TÜV SÜD House • Saki Naka • Andheri (East) • Mumbai - 400072 • Maharashtra • India TÜV®



Certificate
OF REGISTRATION

This is to certify that

VIJAY ENGINEERING WORKS

Address: EN1090, Vijay engineering works, B-28 Focal Point Extension, Jalandhar, Punjab
144004, India

has been assessed and found to be conforming to the requirements of
Council LVD directive: 2006/95/EC

The technical documentation / inspection / test results comply with the requirements of IEC
60227, IEC 60228, IEC 60332, IEC 60811 and IEC 60754. Hence, the manufacturer has issued a
Declaration of Conformity according to 2006/95/EC European Directive and places the CE
marking with his own responsibility as follows:

EN 1090-2:2008+A1:2011

For the products of

Scaffolding / Fabrication & Specialized engineering goods.

(Further description of the products covered by this certificate are given in the annexure attached)

By QSA International, UK



**QSA INTERNATIONAL
LIMITED**
27, Old Gloucester Street,
London, WC1N3AX, ENGLAND

Starford Ray
Certification Manager



Email: info@qsai.co.uk
Web: www.qsai.co.uk

Registered with Registrar of Companies for England and Wales through Registration Number 11936114
This certificate is a property of QSA International, UK. This certificate must not be altered in anyway and shall be returned upon the request by QSA International.

CERTIFICATES



HEAD OFFICE:

O-2, Industrial Area, Jalandhar-144004,
Punjab-india

UNIT 2:

B-28, Focal Point Extension,
Jalandhar-144004

UNIT 3:

B-18, Focal Point Extension,
Jalandhar-144004

UNIT 4:

C-69, Focal Point Extension,
Jalandhar-144004

TEL: +91-181-5088255, 2290045,
5058255

CELL: +91-98140 61911,
98143 61911

EMAIL: sales@vijaytools.com,
rajan@vewscaffolding.com

WEBSITE: www.vewscaffolding.com

V&EW[®]
Vijay Engineering Works